

Investigating Machine Learning Models for Effective Dataset Training in Cardiac Arrest Prediction

SIXTUS A. OKAFOR¹, GIDEON IHEBUZO NDUBUKA², TAOFIK OLADIMEJI AZEEZ³,
ONYEBUCHI CHIKEZIE NOSIRI⁴, INNOCENT CHUKWUDI EKUMA⁵, MARTHA C.
EKWEDIGWE⁶, CHIDEBERE A. OTUU⁷, ONWUKAMUCHE K. CHIKWADO⁸

^{1,2} *Department of Biomedical Engineering, Federal University of Technology Owerri, Nigeria.*

³ *ACE-FUELS, FUTU, Nigeria.*

⁴ *Department of Electrical Engineering, Federal University of Technology, Owerri, Nigeria*

^{5,6} *Department of Biomedical Engineering, Alex Ekwueme Federal University Teaching Hospital
Abakaliki, Nigeria*

⁷ *Department of Zoology and Environmental Biology, University of Nigeria, Nsukka, Nigeria*

⁸ *Prosthetics and Orthotics Unit, Federal Medical Center, Owerri, Nigeria*

Abstract- *Inaccuracy of data coupled with invasiveness in diagnosis of cardiac arrest is an issue of concern in clinical setting. In this study, the identification and prediction of cardiac arrest based on existing data was investigated using Machine learning (ML) algorithms. Three classic models of machine learning (Gradient Boost, Random Forest and XGBoost) models were used. Numerical variables were encoded using Label Encoder function from Scikit learn using the three models to train the data. A panda was used for data loading. After training, Gradient boosting, Random Forest and XGBoost models possess an accuracy of prediction values of 88, 89 and 85% with an error prediction values of 23, 20 and 27, respectively. Hence fitting Gradient boosting model is the best machine learning model for training data and prediction of cardiac arrest due to its high accuracy and low error value.*

Indexed Terms- *Artificial Intelligence; Machine learning; Dataset; Encode, Prediction models.*

I. INTRODUCTION

Artificial intelligence (AI) is a simulation of human intelligence in machines programmed to think and mimic human actions (Seetharam, Kagiyama and Sengupta, 2019). It is a computer system that is able to perform tasks that ordinarily require human intelligence such as receiving perceptions from the environment and performing actions. AI uses

machine learning algorithms, heuristics, pattern matching, rules, deep learning, cognitive computing and software (Seetharamet al., 2019). It is, specifically, the ability of computer algorithms to approximate based on input data and deep learning (Nadrljanski and Foster 2022). Artificial intelligence has been deployed in healthcare (Mayo 2016), defence, security surveillance (Retsonet al., 2019) to mention a few. These algorithms recognize behaviour patterns and create their own logic (Murdoch and Detsky, 2013).

To gain useful insights and predictions, machine learning models are trained using extensive amounts of input data. Retsonet al (2018) reported that AI algorithms behave differently from humans with a goal for the algorithm to learn exclusively from the input data and understand what it has been programmed to do and some deep learning algorithms to nature as black boxes; hence the algorithms can predict with extreme precision, but offer little to no comprehensible explanation to the logic behind its decisions aside from the data and type of algorithm used. A neural network also called artificial neural network (ANN) or multi-layer perceptron (MLP) is a supervised machine learning model that has the ability to represent complex nonlinear relationships in the input data.

It was originally developed to model the biological brain, but diverged to be most effectively used for classification and regression tasks (Rumelhart,

Hinton and Williams 1986). AI employs artificial neural network (ANN) to simulate the network of neurons that mimic the human brain so for computer to be able to learn things and make decisions in a humanlike manner (Seetharam *et al.*, 2019; Chandran, 2019). ANNs are created by programming of regular interconnected computers to behave like brain cells as shown in Figure 1.




Figure 1: Artificial Neural Network data generated from various interconnected computers (artificial neurons) sent to the (hidden), processed and then displays the information as output (Chandran, 2019).

The development of AI techniques in the sub domains of machine learning and deep learning has attracted the attention of clinicians to create new integrated, reliable and efficient methods for providing quality healthcare delivery (Al-sharqiet *al.*, 2018; Chandran, 2019). The techniques have also been deployed in cardiac Computed Tomography for patients with suspected cardiac arrest diseases (CAD). However, machine learning algorithms have shown a potential in clinical practice and training to take non-invasive approaches for detection of functional information beyond atherosclerotic plaque characterization with anomalies (Singh *et al.*, 2020). Supervised learning plays an important role not only in the operation of many biological networks but also in operation of artificial neural networks (Seetharam *et al.*, 2019).

Moreover, supervised learning has been widely applied to solve many problems. In supervised learning, manually set labels help the machine achieve the desired results. Therefore, supervised learning is applicable to medical diagnosis and treatment, with clinical guiding significance (Narula *et al.*, 2016; Nature 2016). Unsupervised learning does not require label of data set, hence the

machine must find the label itself. Furthermore, unsupervised learning algorithms have been successfully implemented in problems such as CVD prediction, diagnosis and treatment, and cardiovascular image analysis (Al-sharqi *et al.*, 2018). Reinforcement learning required human to propose a goal and AI to achieve this goal through supervised and unsupervised learning (Li, Hu and Zhang 2017), after which there is a feedback mechanism described as a 'reward' (Seetharam *et al.*, 2019).

The aim of reinforcement learning is not to reach the proposed goal, but to maximize the reward for the model during the learning process. This reinforcement learning has been deployed in intensive care units (ICU) to optimize the process by which patients are off mechanical ventilation (Al-sharqiet *al.*, 2018; Seetharam *et al.*, 2019). Deep learning (DL) supervised ML technique and characterized by automated algorithms to extract meaningful patterns from data collections (Krittanawong, Zhang and Wang 2017). It mimics the complexity of a human brain to learn complex hierarchical representations from data that has multiple levels of abstraction (Thomas, Diamond and Vieco, 2018). The programmer enters known data into the machine in a way that allows algorithms to respond correctly even when faced with fully new data.

The neural network learns through experience, reads data, builds hierarchical architectures, and provides advanced input-output levels. It captures complex non-linear relationships between input-output variables. The average error of outcomes and their predictions can be minimized by estimating the weights of input and outcome data (Johnson, Torres and Glicksberg 2018). DL plays a prominent role in Facebook's image recognition program, speech recognition in Apple's Siri and Amazon's Alexa, Google brain and robots to mention a few (Jiang, Jiang and Zhi, 2017). In the medical context, the most widespread deep learning algorithms are convolution neural networks (CNN), recurrent neural networks, deep belief networks, and deep neural networks (Kulkarni and Vijaykumar, 2016). In this work, identifying and predicting cardiac arrest using Machine learning (ML) algorithms was investigated.

II. MATERIALS AND METHODS

2.1 Encoding of Input variables as Numerical Values

The input data such as age, sex, chest pain type, resting blood pressure, cholesterol level, fasting blood sugar, maximum heart rate, exercise induce angina, oldpeak, slope of the peak ST segment and cardiac arrest data were trained. The variable were encoded to numerical values using Label Encoder function from Scikit learn which assigned numeric values to each of the variable.

2.2 Dataset Preparation

A Panda was employed to load the dataset and checked for any missing values. If feature is in the right data type as shown in Table 1, the code snippet used to retrieve information from the dataset.

```
# check for important information
heart.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 918 entries, 0 to 917
Data columns (total 12 columns):
# Column Non-Null Count Dtype
---
0 Age 918 non-null int64
1 Sex 918 non-null object
2 ChestPainType 918 non-null object
3 RestingBP 918 non-null int64
4 Cholesterol 918 non-null int64
5 FastingBS 918 non-null int64
6 RestingECG 918 non-null object
7 MaxHR 918 non-null int64
8 ExerciseAngina 918 non-null object
9 Oldpeak 918 non-null float64
10 ST_Slope 918 non-null object
11 CardiacArrest 918 non-null int64
dtypes: float64(1), int64(6), object(5)
memory usage: 86.2+ KB
```

Table1: Code snippet used to retrieve dataset information

2.3 Machine Learning Modelling

Trained data was tested by the three tree-based machine learning models (Gradient Boost Model, Random Forest Model and XGBoost Model) using the exact set of data and compared their performances based on their classification report.

III. RESULTS AND DISCUSSION

Fitting gradient boosting model on trained data is presented in Table 1. The classification report of gradient boosting of an accuracy of 88% was obtained. In the gradient boost confusion matrix, the gradient boost model has a true negative and positive

values of 69 and 92, while false negative and positive values of 8 and 15, respectively. The summation of true values refer to as correct prediction [69+92 = 161] while error prediction value obtained as summation of false values [8 +15 = 23] as presented in Figure 2.

Table 1: Fitting gradient boosting on trained data

```
# Instantiate the Gradient Boosting model
gradient_boost = GradientBoostingClassifier()

# Fit on the train and test set
gradient_boost.fit(x_train, y_train);

# Check for performance
performance_check(y_test, x_test, gradient_boost, 'GradientBoost')
```

	precision	recall	f1-score	support
0	0.82	0.90	0.86	77
1	0.92	0.86	0.89	107
accuracy			0.88	184
macro avg	0.87	0.88	0.87	184
weighted avg	0.88	0.88	0.88	184




Figure 2: Gradient boost confusion matrix

Table 2 represent fitting random forest model of trained data. Based on the classification reports of trained data, the Random forest gave an accuracy of 89% was obtained. The Gradient boosting for Random forest Confusion matrix as presented in Figure 3 revealed a true negative and positive values of 69 and 95, with false positive and negative values of 12 and 8, respectively. A correct prediction value of 164 and an error prediction value of 20 were obtained. Hence, random forest model slightly outperforms the gradient boosting model.

Table 2: Fitting random forest on trained data

```
RF = RandomForestClassifier()
RF.fit(x_train, y_train);

# Check for performance
performance_check(y_test, x_test, RF, "RandomForest")
```

	precision	recall	f1-score	support
0	0.85	0.90	0.87	77
1	0.92	0.89	0.90	107
accuracy			0.89	184
macro avg	0.89	0.89	0.89	184
weighted avg	0.89	0.89	0.89	184




Figure 3: Random forest model confusion matrix

The XGBoost model classification report shows the accuracy of 85% as shown in Table 3. The accuracy of XGBoost model was found to be less than that of Gradient boost and Random forest models. The XGBoostmodel confusion matrix of trained data revealed a correct prediction of 157 [67+90] with an error prediction value of 27 [10+17] as shown in Figure 4. Thus, Gradient boosting model perform better than XGBoost model in prediction of cardiac arrest.

Table 3: XGBoost model on trained data

```
# Check for performance
performance_check(y_test, x_test, xgb, 'XGBoost')
```

	precision	recall	f1-score	support
0	0.80	0.87	0.83	77
1	0.90	0.84	0.87	107
accuracy			0.85	184
macro avg	0.85	0.86	0.85	184
weighted avg	0.86	0.85	0.85	184

Confusion Matrix




Figure 4: Confusion matrix of the XGBoost model
 Comparing the three models of machine learning on trained data, Random forest model perform better than Gradient boosting and XGBoost models. This may be attributed to its high accuracy and low error prediction value. It can be deduced during the training period that the machine’s output compared to the human provided description of what should be observed. The three tree-based machine learning models to train data, building on this to analyse data such as age, resting BP, cholesterol, chest pain type, fasting blood sugar, maximum heart rate, exercise induce angina, oldpeak, slope of the peak ST segment to predict the occurrence of cardiac arrest in a given subject. Studies in neuroscience mainly for cardiac arrest correlate human brain to artificial neural network of machine learning models to mimic the brain based on tremendous amount of information for a training set.

CONCLUSION

Based on this study, the following can be drawn:

- Machine learning algorithm can accurately predict cardiac arrest better than other previous techniques.
- While there are various machine learning techniques for different applications, certain model works better in certain environment or situations.

REFERENCES

[1] Al-sharqi, M., Woodward, W. J., Mumith, J. A., Markham, D. C., Upton, R. , and Leeson, P. (2018). Artificial intelligence and

- echocardiography. *Echo Research and Practice*, 5, 115 – 125.
- [2] Chandran, A. (2019). How artificial neural networks work, from the math up. *Berlely Scientific Journal*, 6, 123-127
- [3] Jiang, F., Jiang, Y. & Zhi, H. (2017). Artificial intelligence in healthcare: past, present and future. *Stroke and Vascular Neurology*, 2 (4), 230–243.
- [4] Johnson, K.W., Torres, S. J. & Glicksberg, B. S. (2018).Artificial intelligence in cardiology. *Journal of American of College of Cardiology*, 71, 2668–2679.
- [5] Krittanawong, C., Zhang, H. & Wang, Z. (2017).Artificial intelligence in precision cardiovascular medicine. *Journal of American College Cardiology*, 69, 2657–2664.
- [6] Kulkarni, A. and Vijaykumar, S. (2016). Application of Internet of Things in artificial heart pacemakers and its impact on security. *International Journal of Current Trends in Engineering & Research (IJCTER)*, 2 (5), 604–610.
- [7] Li, C., Hu, X. & Zhang, L. (2017).The IoT-based heart disease monitoring system for pervasive healthcare service. *Procedia Computer Science*, 112, 2328–2334.
- [8] Mayo Clinic, (2016). Heart disease - tests and diagnosis Retrieved from: <http://www.mayoclinic.org/diseases-conditions/heart-disease/basics/tests-diagnosis/con-20034056>. Accessed on November, 2022.
- [9] Murdoch, T. B. & Detsky, A. S. (2013).The inevitable application of big data to health care. *Journal of the American Medical Association*, 309 (13), 1351-1352.
- [10] Nadrljanski, M. & Foster, T. (2022).Computed tomography. Radiopaedia.org. (accessed on 10 Nov 2022) <https://doi.org/10.53347/rID-9027>
- [11] Narula, S., Shameer, K., Omar, A. M. S., Dudley, J. T. & Sengupta, P. P. (2016).Machine-learning algorithms to automate morphological and functional assessments in 2D echocardiography. *Journal of the American College of Cardiology*, 68 (21), 2287–2295
- [12] Nature (2016). Anticipating artificial intelligence. *Nature*, 532, 413.
- [13] Retson, T. A., Besser, A. H., Sall, S., Golden, D. & Hsiao, A. (2019). Machine learning and deep neural networks in thoracic and cardiovascular imaging. *Journal of Thoracic Imaging*, 34 (3), 192–201.
- [14] Rumelhart, D. E., Hinton, G. E. & Williams, R. J. (1986). Learning representations by back-propagating errors. *Nature*, 323 (6088), 533–536.
- [15] Seetharam, K., Kagiya, N. & Sengupta, P. P. (2019).Application of mobile health, telemedicine and artificial intelligence to echocardiography. *Echo Research and Practice*, 6 (2), 41–52.
- [16] Singh, D. (2020). Holter monitoring. Cadence Heart Centre. Retrieved from <https://cadenceheart.sg/service/holter-monitoring/>Accessed November, 2022.
- [17] Thomas, H., Diamond, J. & Vieco, A. (2018). Global atlas of cardiovascular disease 2000-2016: the path to prevention and control. *Global Heart*, 13, 143–163.